

## SPE RESPONSE FOR CERTIFICATE OF CORRECTION

DATE

: 4/2/05 7/25/07Paper No.:     

TO SPE OF

: ART UNIT

1645

SUBJECT

: Request for Certificate of Correction for Appl. No.: 9/29/925 Patent No: 6693181 B2

A response is requested with respect to a request for a certificate of correction.

With respect to the change(s) requested to correct Office and/or Applicant's errors, should the patent read as shown in the certificate of correction attached herewith or the COCIN document(s), in IFW images for the above-identified patented application? No new matter should be introduced, nor should the scope or meaning of the claims be changed.

If the response is for an IFW, within 7 days, please complete and forward the response, to the employee (named below) via scanning into application images, using document code COCX.

If the response is for a paper file wrapper, please complete the response and forward the response with the paper file wrapper, to the employee (named below), within 7 days, to:

Certificates of Correction Branch (CofC)

South Tower - 9A22

Palm Location 7580

VIRGINIA TOLBERT

Certificates of Correction Branch

703-308-9390 ext. 113

Thank You For Your Assistance

The request for issuing the above-identified correction(s) is hereby:

Note your decision on the appropriate box.

☐ Approved

All changes apply.

☒ Approved in Part

Specify below which changes do not apply.

☐ Denied

State the reasons for denial below.

Comments: The proposed change to claim 9 (column 30)  
would alter the scope of the claim. The "pre-sequence  
is the pre-sequence of SEQ ID " is an undefined variable  
and is not analogous to the allowed claim language.

JEFFREY SIEW  
 SUPERVISORY PATENT EXAMINEE

SPE

1645  
 Art Unit